



Calibration/Service Request Form

Please complete this form and email to calibration@summitappliance.com

CUSTOMER INFORMATION

Facility: _____

Address: _____









City: _____ State: _____ Zip Code: _____

Contact Name: _____ Department: _____

Telephone: _____ Fax: _____ Email: _____

DEVICE AND TESTING INFORMATION

What type of temperature monitoring device requires calibration?

Thermometer	Alarm Thermometer	Temperature Data Loggers
 <input type="checkbox"/> TT*	 <input type="checkbox"/> AL*  <input type="checkbox"/> AL-1	 <input type="checkbox"/> DL-2*  <input type="checkbox"/> DLSA11  <input type="checkbox"/> DL2B
	 <input type="checkbox"/> AL-2  <input type="checkbox"/> AL-3	

* Please call us at 718 893 3900 (x805/804) before shipping TT, AL or DL2 devices.

PAYMENT INFORMATION

Check **Credit Card**

*If you would like to pay by Visa, Mastercard, American Express or Discover, please submit form, and call 718 893 3900 (x805/804/806/810). Checks are payable to **AccuCold Division, Felix Storch, Inc.***

Cost of calibration is \$124* per device * Plus tax charges (if applicable) unless a sales tax-exempt certificate is provided. Shipping cost included except for Puerto Rico, Alaska, and Hawaii. Canadian customers, please call us for a quotation.

***PLEASE NOTE**

- You will be charged an additional \$25 if the temperature sensor/probe is not included with the device to be calibrated.
- Please retrieve all data from the data logger's internal memory before shipping the device for calibration. We are not responsible for lost data.

The temperature monitoring device with its temperature sensor should be sent to:

Felix Storch, Inc - Calibration Lab.
770 Garrison Ave.
Bronx, NY 10474
 Attn: Florent Mvogo/Quinn Saxon
Mail checks to the same address

Calibrated device ship to address (if different from customer information):

Address: _____

City: _____

State: _____ Zip Code: _____